

What is Vertebroplasty?

Vertebroplasty is a nonsurgical therapy performed under fluroscopy to strengthen damaged vertebra.

X-Ray · Ultrasound · MRI · Biopsy · Angiography · CT
Mammography · Bone Mineral Densitometry · Dental X-Rays
Consultations · Interventional Radiology · Nuclear Medicine

Belconnen Lakeview Square
Bruce Calvary Clinic
Deakin Calvary John James Hospital
Erindale Valley Diagnostic Centre
Garran Brindabella Specialist Centre
Goulburn X-Ray Bourke Street
Queanbeyan Morisset House
Turner Construction House

Patient Booking Service 1300 788 508
Administration Enquiries 6203 2222

Canberra Imaging Group
Executive Office
77 Denison Street, Deakin ACT 2600
PO Box 55 Deakin West, ACT 2600
Email info@cig.com.au
Web www.canberraimaging.com.au

Vertebroplasty

Vertebroplasty



The Benefits of Vertebroplasty

Vertebroplasty has the advantage of achieving both rapid pain relief and restoring bone strength, with many recent studies showing that up to 90% of patients become completely pain-free two to three days post procedure.

Over several weeks, patients can expect a marked decrease in their doses of pain medications, and can expect to increase mobility and activity levels.

Vertebroplasty cannot correct curvature of the spine caused by osteoporosis, but may help to prevent worsening curvature. The procedure treats only the fractured vertebra and does not prevent future compression fractures.

The Risks of Vertebroplasty

Vertebroplasty is safe and effective in most cases, the procedure should be performed only if a patient has back pain that significantly impairs mobility and quality of life.

Significant complications from vertebroplasty are rare. Vertebroplasty short term complication rates have been reported at less than 10%. The doctor performing the vertebroplasty will explain the risks involved and answer any questions you may have.

Potential complications include bleeding, infection, and worsening of pain. In patients with severe osteoporosis, rib or vertebral fractures can occur. Since the cement is injected as a liquid, it can leak out of the vertebral body into surrounding

tissues and veins, which may lead to the nerve roots or the spinal cord being irritated or compressed. In very rare cases, the cement may leak into the lungs causing pulmonary embolism.

Medications

If you are on anti-coagulant medications such as **Warfarin** you must ring us at least one week before your vertebroplasty to discuss stopping the Warfarin. The vertebroplasty may be cancelled if you keep taking Warfarin.

Aspirins and medications containing **Aspirin** such as **Cardiprin** or **Astrix** should not be taken for one week prior to the vertebroplasty. **Please bring a list of your current medications with you.**

Preparations

The doctor performing the vertebroplasty will need to talk to you prior to the procedure to ensure you are suitable for the vertebroplasty and will need to ask you questions about your medical history.

It is essential that you have recent plain radiographs, CT and MRI. Some patients, in particular those with pace makers, may need examination under fluoroscopy or a bone scan. A bone scan showing activity in the fracture is helpful for confirming the more recent fracture in a patient with multiple fractures over an extended period.

Please bring any relevant films and your referral to your appointment.

On the day of the Vertebroplasty

The vertebroplasty is usually performed in the morning. You will need to lie face down for one hour. Our staff will make you as comfortable as possible. After using a local anaesthetic to numb the area, a needle will be directed into the fractured vertebrae, and then the cement is injected.

The longest part of the procedure is setting up the equipment and positioning the needle. The actual injection of cement takes only 10 minutes. We may need to obtain a CT scan after vertebroplasty to evaluate the distribution of cement.

After your Vertebroplasty

You will need to stay with us for one to two hours after the procedure to make sure there are no complications.

You **MUST** have someone else drive you home at the end of this observation time and be able to rest until the following morning. It is recommended that someone else be available during this time should you require any assistance.

If you live out of town it is recommended that you stay overnight in Canberra.

If you are concerned with anything after your procedure please do not hesitate to call us on (02) 6203 2222.

Canberra Imaging Group strongly advise that you return to your referring doctor in order for your doctor to discuss your radiology report with you.